



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 620P

TYPE OF ACCIDENT Car/Pedestrian straight path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle 1 was entering the main traffic lanes after having stopped at a stop sign. The vehicle had been traveling east, and made a left turn to go in a northerly direction. The pedestrian was crossing the main traffic lanes from east to west when the vehicle contacted the left side of the pedestrian with it's front. The pedestrian lost balance and fell to the ground.

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/	(10 00 00 111 00 112 01 12 117 01 12 117			Injury ZONE CENTER)
No. Age		Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	16	Female	None	Left Leg	Contusion	1	Bumper

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE					
	Class		Most Severe Damage Based on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	Compact	93/Chevrolet/Beretta	Front	Smears, scratches	



ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

Indicate PSU No. Case Number - Stratum 6 20 p North 4 000000



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 90 Case Number-Stratum 6 20 P					
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION , SCALED DIAGRAM					
document reference point and reference line relative to physical features	Surface Type	BIT/Asphalt	north arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio	n <u>Dry</u>	grade measurements for all applicable roadways		
a) vehicle skid marks	Coefficient of Fri	ction	 scaled representations of the physical plant including: 		
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 		
c) vehicle/pedestrian point of impact (POI)	a) at impa	id <u>-</u>	b) all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) betwee final re:	n impact and	 scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: 		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction ETOW	a) physical evidence, or		
documentation of the physical plant including: all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians,	Vehicle Travel D Number of Trave	7	b) reconstructed accident dynamics		
pavement markings, parked vehicles, poles, signs; etc.) b) all traffic controls (e.g., lights, signs)					
Reference Point: South We CORNEY	est	Reference Line: We	estarbline		
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line		
Vehicle #1+ Redestrian	#1 (901) 4.3m Nort	2 12.4m EAST		
ledesTrian#1 (FRP))	3.5m Nort	n 11.2m Exist		
Vehicle # 1 (PRP)		4.6 m Nort	M 12.1 EAST		
•	-				

Distance and Direction Distance and Direction Item from Reference Point from Reference Line

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

National Highway	raffic	Safety
Administration		
1		

Primary Sampling Unit Number	90
------------------------------	----

2. Case Number - Stratum

620 P

IDENTIFICATION

- 3 Number of General Vehicle Forms Submitted
- 4. Date of Accident (Month, Day, Year:

_	-26.3	Aug Parker of the State of the		£.
			/	7

5. Time of Accident

0801

Code reported military time of accident.

NOTE. Mignight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (\checkmark) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- SS15 Administrative Use
- 7. ✓SS16 Pedestrian Crash Data Study
- 8. SS17 Impact Fires 0
- 9. SS18 _0_
- 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carnage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a cedesinan.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Venicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Venicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. 2 3	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (CC) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 put < 265 cm)
- (03) Intermediate (wneelbase ≥ 265 but < 273 cm)
- (04) Full size (wneelbase ≥ 278 but < 291 cm)
- (05) Largest (wneelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility venicle
- (12) Large utility vehicle (s 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (< 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Callision with Nonfixed Object

(72) Pedestrian

U.S. Cepartment of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 90	10x Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 20 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	215 pounds X .4536 = 98 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	 (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
α	(01) At sides
15. Pedestrian's First Avoidance Actions <u>O</u> <u>O</u>	(U2) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove or left away	(09) Extended holding object
Lload bond(a) to :	(briefcase, suitcase, etc.)
Used hand(s) to:	
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag', etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or-head B + << THE
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
LISEOTRIANO ONIENTATION AT INIT ACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16 Dedestrian's Head Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(50) 5.11(1511)
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, whapped position (02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(3) UTINIOWIT	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(33) OHNIOWH

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PPR 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	- <u>7</u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP=VARIABILES XULTHROUGH 37 A	RECOMBERED BY THEZONES HIER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility)	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES[]

U.S. Department of Transportation National Highway Traffic Safety

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN INJURY FORM

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


			*******	AIS-90									
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 2	6.8	7. <u>9</u>	8. <u>0 J</u>	9. <u>0</u> 2	- 10. 🔼	112	12. <u>70</u> 0	<u> </u>	14	15. 2	-16. 2	L17. 2
2nd	18. 3	19. <u>8</u>	20. <u>9</u>	21, <u>04</u>	22. <u>O</u> <u></u>	-23. <u>/</u>	_{24.} <u>J</u>	- _{25.} <u>フ</u> ひ⊆	<u> 26. /</u>	27. 1	282	- _{29.} <u>J</u>	- 30. 2
3rd	31. <u>3</u>	32.7	33. <u>9</u>	34. <u>O</u>	735. <u>0</u>)- _{36.} _/	37. 2	38. <u>94</u>	7 as. <u>1</u>	40	41. <u>C</u>) _{42.} <u></u>)43
4th	44. 7	457	46. 2	47.02	-48. <u>O</u> <u>}</u>	49. <u>/</u>	50. 2	51. <u>9</u> 4	7 52]	53. <u> </u>	_{54.} C	<u>ک</u> _{55.} ک	56. <u>O</u>
5th	57. 3	_{58.} <u>2</u>	- 59. <u>9</u>	60. <u>8 4</u>	61. <u>O</u>	L62. <u>/</u>	63. <u>7</u>	64. 9 4	7 _{65.} <u>1</u>	66/	67. <u>C</u>	68	69. <u>0</u>
6th	70.3	71.2	- 72. <u>9</u>	73. <u>O</u> Ž	74. <u>O </u>	- _{75.} <u>/</u>	76. 7	<u>"947</u>	78	79. <u>L</u>	80. <u></u>	° _{81.} ⊵	82. <u>O</u>
7th	83	84	85. <u> </u>	86:	87	88	89	90	91	92	93	94	95
8th	96.	97	98	99	100:	101	102	103	104	105	106	107	108
9th	109	110	111.	11.2. 1	113	114	115	116	117.	118	119	120	121
10th	122	123.	124	1251	126	127.	128	129.	_ 130	131.	132	133	134

				PEDES	STRIA	עמו ע	URY DAT	ΓΑ				
Source of Injury Data		Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th								_				-
12th	_	_			_	-		_	-			-
13th		-			<u></u>		<u></u>		-		-	<u></u>
14th	_	<u>-</u>			—	_		_		-	_	
15th			<u>-</u> -		_	<u> </u>		<u> </u>	 -	<u></u>	-	_
16th	_	_				<u> </u>	<u> </u>	_				_
17th								_				—
19th							_					
20th												
21st												
23rd												
24th						· · · · · · · · · · · · · · · · · · ·				 ;		
25th			· ·					4 <u>4</u> 11.	: 			

.

•

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



rage

SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL **TYPE OF DAMAGE** (1) (2) **OFFICIAL** Certain (0) Injury not from vehicle contact Probable (1) Autopsy records with or without hospital/ No damage/contact Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury Injured, unknown source associated X-rays or other lab reports) (8) Other specify: Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) DAMAGE DEPTH UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (3) (6) E.M.S. personnel Rounded (contoured) Crush depth >0 to 2 centimeters Rounded edge (7) Interviewee (5) Sharp edge Other (specify): Crush depth > 2 to 5 centimeters (8) Other source (specify): Crush depth >5 to 10 centimeters (8) (5) Other specify: (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure **Abbreviated Injury Scale** Spine (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Face (06) Lumbar (2) (3) Moderate injury Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Thorax (06) Skin - Laceration (4) (5) Severe injury (5) Abdomen (08) Skin - Avulsion Critical injury Maximum (untreatable) (6) (7) Spine (10) Amputation (6) Upper Extremity (20) Burn (30) Crush Injured, unknown severity (8) Lower Extremity Level of Injury Unspecified (40) Degloving Aspect (50)Injury - NFS Specific injuries are assigned consecutive two-digit beginning with 02. Type of Anatomic Structure (90) Trauma, other than mechanical (1) (2) Right Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (3) Bilateral Vessels (4) (5) (6) (2) To the extent possible, within the organizational framework of the AIS, 00 Central Anterior (4)Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury ligaments) (7) Superior Skeletal (includes joints) (8) Inferior (6) Head - LOC (9) Unknown (9) Skin NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 749 Right side roof rail 704 Hood ornament (fixed) 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object Left Side Components 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): _ 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 771 Hood surface reinforced by under hood 733 Left side folding mirror 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 772 Front fender top surface 825 Cargo (specify): 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):___ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

741 Front antenna

742 A1 pillar

743 A2 pillar

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

___ Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = _.__

PO₂ = ____

PCO₂ ____


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	<u>-</u> -	PEDESTRIAN CRASH DATA STUD
1. Primary Sampling Unit Number	90	OFFICIAL RECORDS
2. Case Number - Stratum 6 2	OP	9. Police Reported Travel Speed 9 9 9
	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION		(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	5 3	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
Cheroviel	-0	in kmph (999) Unknown <u>40</u> mph X 1.6093 = <u>064</u> kmph
	9	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	2	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number		Source: PAR
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	16 17	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- 58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 2837 lbs x .4536 = 1,287 kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	,
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc	
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(Ob) Other cause of control loss (specify).	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(50) Other childar preclash event (specify).
(10) Over the lane line on left side of travel lane	(99) Unknown
	(99) Olikilowii
(11) Over the lane line on right side of travel lane	24 Attempted Avaidance Menaura
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	e (99) Unknown
in lane	1
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	t (2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	on
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(0) Treerastr stability drikitown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
102) reacstrait—atticition to location	(9) Directional consequences unknown

	ENVIRO	NIVIE	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange	3	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control(s)
	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	1	(1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	1	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	<u></u>	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	<u>1</u>	(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	 (4) Show (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

90-620

1993 - Cheyold 3-retta R = 29 yom Pel = 16 yo = .65 C5 POIT to FRP = 0.75 m = 2.5 ft V = 12 (2.5) (6.65) (82.2) = 10.2 fPS = 7mph = 11.2 KPh

EXTENION VEHICLE FORIVI	PEDESTRIAN CRASH DATA STUDY
3 0	

4	Drimory	Camplina	115:+	Niconha
i .	rilliary	Sampling	OHIL	Number

9 0 3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Vehicle Make (specify): Cheverlet (ABS) 2 de. Automatic VIN 1612V13T89Y

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

STEEL

121

1 33

138 cm

142 cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: $\frac{167}{600}$ cm

PEDESTRIAN SIDE CONTACT WORK SHEE		
PEV06 Hood Material		
PEV08 Hood Length	/	cm
PEV09 Hood Width-Forward Opening		cm
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Rear Opening		cm
VERTICAL MEASUREMENTS		
PEV26 Ground Clearance		cm
PEV27 Side Bumper-Bottom Height		cm ·
PEV28 Side Bumper-Top Height		cm
PEV29 Centerline of Wheel		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening		cm
PEV32 Bottom of A-Pillar at Windshield		cm
PEV33 Top of A-Pillar at Windshield		cm
PEV34 Top of Side View Mirror		cm
•		
LATERAL MEASUREMENTS		
PEV35 C _L to A-Pillar at Bottom of Windshield		cm
PEV36 C _L to A-Pillar at Top of Windshield		cm
PEV37 C, to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact		cm

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
718 Other front or add on object	754 Right side glazing forward of B pillar	301 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic converter
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar		808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspension
725 C pillar	761 Tailgate	818 Other undercarriage component
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, deflector
731 Left side door handle	Top Components	821 Cellular or CB radio antenna
732 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
737 Rear antenna	774 Wiper blade & mountings	827 Spotlight
738 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
739 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
Right Side Components	779 Rear header	948 Other object (specify):
740 Front fender side surface	780 Hatchback	949 Unknown object in environment
741 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
742 A1 pillar	788 Other top component (specify):	997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source



bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

	POINTS OF PEDESTRIAN CONTACT										
			PEDEST	RIAN CONTA	CT WORKSH	EET					
CONTACT ID Label	COMPONENT	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #			
F	Bumper	+107	- 51	0	Leg 5	FAMT dge	1 2 3 9	1			
7	Bumper	+107	-58	0	Legs	и	⊘ 2 3 9	1			
			9-1	0-99	3 9	30 km	1 - 2 3 9				
		I ~A	s up	ABLE	70 :	is vehicle	1 2 3 9				
		other	- Co~	ACT	0~7	vs Vehicle VJehi	1 2 3 9				
	Tse	,					1 2 3 9				
						r Speed Ped. wr	1 2 3 9				
		1811	mee	Lo	> T 13 A	lange ourd,	/				
		'A~d	+e	1 7	************		1 2 3 9				
	-						1 2 3 9				
					pare.		1 2 3 9				
	•						1 2 3 9 1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				

POINTS OF PEDESTRIAN CONTACT

			CHRONO	ILOGICAL ORI	DER OF CONTACTS		
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 F	700	107	-51	0	knee	Smeer	∂ 2 3 9
2							1 2 3 9
3						•	1 2 3 9
4							1 2 3 9
5							1 2 3 9
6	·						1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15			·				1 2 3 9
16							1 2 3 9
17					·		1 2 3 9
18							1 2 3 9
19							. 1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25	·						1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 142
4. Original Wheelbase 272	Code to thenearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
107.0 inches $\times 2.54 = 2.7$ centimeters	$0.55.9$ inches $\times 2.54 = 4.2$ centimeters
5. Original Average Track Width 1997	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
$0.55.1 \text{ inches } \times 2.54 = 140 \text{ centimeters}$	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from
_	pedestrian impact
6. Hood Material <u>3</u>	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original $\underline{\mathcal{I}}$	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM) (1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length / 2 /	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter (180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic (2) Fiberglass
047.6 inches $\times 2.54 = 121$ centimeter	(3) Rubber
<u> </u>	(4) Other (specify):(9) Unknown
9. Hood Width Forward Opening <u>/ 3 3</u> Code to the	
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
	· ·
\circ \circ \circ \circ \circ \circ	(2) Aluminum
0.52.3 inches X 2.54 = 1.33 centimeters	(3) Stainless Steel(4) Other (specify):
10. Hood Width Midway / 3 8	(3) Stainless Steel
10. Hood Width Midway 8	(3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height 2 3 9
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height 3 9
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown DDDD Sinches X 2.54 = D53 centimeters	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 2799 inches X 2.54 = 203 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown D 2 5 . 5 inches X 2.54 = D 6 5 centimeters	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown 110.2 inches x 2.54 = 280 centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown 223.9 inches x 2.54 = 210 centimeters	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 =
	CIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening 072 Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 228.3 inches x 2.54 = 22 centimeters 21. Ground to Front/Top Transition Point 82 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 232.2 inches x 2.54 = 882 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29.	Centerline of Wheel	000	Side Lateral Measurements
	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 =	_	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	000	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 =		nearest centimeter (000) No side contact (250) 250 centimeters or more
31.	Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact	000	(999) Unknown inches X 2.54 = centimeter
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion Code to the
	inches X 2.54 =	_ centimeters	nearest centimeter (000) No side contact
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact		(300) 300 centimeters or more (999) Unknown
	(250) 250 centimeters or more (999) Unknown	į	inches X 2.54 = centimeter
	inches X 2.54 =	_ centimeters	Side Wrap Distance Measurements
	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	000	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters
	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown inches X 2.54 =	O O O	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters

40.	Ground to Centerline of Hood Code to the	000	
	nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown		
	inches X 2.54 =	centimeters	
41.	Ground to Head Contact Code to the nearest centimeter	998	
	(000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	000	
	inches X 2.54 =	centimeters	
		·	
	•		